

# Gas Face Exotic Shake

Lab ID: 240815-732-YEDA-3

METRC Batch: ; METRC Sample:  
Sample ID: 2408PHS1189.4820  
Strain: Gas Face Exotic Shake  
Matrix: Plant  
Type: Shake & Duff  
Sample Size: ; Batch:

Produced:  
Collected:  
Received:  
Completed: 08/16/2024  
Batch#:

Producer  
TED.Approved  
Lic. #  
181 W Huntington  
Monrovia, CA 91016



## Summary

Test  
Cannabinoids

Date Tested  
08/16/2024

Result  
Pass

## Cannabinoids

Pass

17.041%	0.052%	17.786%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	19.146	191.46
Δ9-THC	0.01	0.01	0.250	2.50
Δ8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	0.094	0.94
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	0.059	0.59
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	0.697	6.97
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC			17.041	170.410
Total CBD			0.052	0.520
Total			20.246	202.46

### Notes:

Total THC = (THCa \* 0.877) + Δ9-THC; Total CBD = (CBDa \* 0.877) + CBD  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



*Rkeledj*

Raquel Keledjian  
Lab Director  
08/16/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian