



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

1 of 4

## Sour Haze

Sample ID: 2509EXL4665.19448

Strain: Sour Haze

Matrix: Concentrates & Extracts

Type: Sauce

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/05/2025

Batch#: 22992

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      |             | Complete |
| Foreign Matter    | 09/04/2025  | Pass     |
| Heavy Metals      |             | Pass     |
| Microbials        |             | Pass     |
| Mycotoxins        |             | Pass     |
| GCMS Pesticides   |             | Pass     |
| LCMS Pesticides   |             | Pass     |
| Residual Solvents |             | Pass     |

### Cannabinoids

Complete

72.381%

Total THC

0.211%

Total CBD

72.690%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  |
|-----------|-------|-------|---------|---------|
|           | mg/g  | mg/g  | %       | mg/g    |
| CBC       | 0.171 | 0.455 | ND      | ND      |
| CBD       | 0.455 | 0.909 | 0.2110  | 2.110   |
| CBDa      | 0.341 | 0.909 | ND      | ND      |
| CBG       | 0.455 | 0.909 | 0.0983  | 0.983   |
| CBN       | 0.171 | 0.455 | ND      | ND      |
| Δ8-THC    | 0.341 | 0.909 | ND      | ND      |
| Δ9-THC    | 0.341 | 0.909 | 0.2990  | 2.990   |
| THCa      | 0.227 | 0.455 | 82.1910 | 821.910 |
| THCV      | 0.455 | 0.909 | ND      | ND      |
| Total THC |       |       | 72.381  | 723.805 |
| Total CBD |       |       | 0.211   | 2.110   |
| Total CBG |       |       | 0.098   | 0.983   |
| Total     |       |       | 72.690  | 726.898 |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Robertson

Lab Director  
09/05/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

2 of 4

## Sour Haze

Sample ID: 2509EXL4665.19448

Strain: Sour Haze

Matrix: Concentrates & Extracts

Type: Sauce

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/05/2025

Batch#: 22992

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

## GC Pesticides

Pass

| Analyte                              | LOD   | LOQ   | Limit | Mass | Status |
|--------------------------------------|-------|-------|-------|------|--------|
|                                      | µg/g  | µg/g  | µg/g  | µg/g |        |
| Captan                               | 0.054 | 0.097 | 0.7   | ND   | Pass   |
| Chlordane (trans + cis)              | 0.058 | 0.098 | 0.058 | ND   | Pass   |
| Chlorfenapyr                         | 0.056 | 0.097 | 0.056 | ND   | Pass   |
| Cyfluthrin                           | 0.052 | 0.097 | 2     | ND   | Pass   |
| Cypermethrin                         | 0.054 | 0.097 | 1     | ND   | Pass   |
| Parathion Methyl                     | 0.039 | 0.097 | 0.039 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1   | ND   | Pass   |

## Mycotoxins

Pass

| Analytes         | LOD     | LOQ     | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
|                  | µg/kg   | µg/kg   | µg/kg | µg/kg |        |
| Aflatoxin B1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 10.0000 | 16.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |         |         | 20    | ND    | Pass   |

## Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

## Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested:

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested:

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested:

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081

ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
09/05/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic#

QA Testing

3 of 4

## Sour Haze

Sample ID: 2509EXL4665.19448

Strain: Sour Haze

Matrix: Concentrates & Extracts

Type: Sauce

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/05/2025

Batch#: 22992

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

## LC Pesticides

Pass

| Analyte               | LOD   | LOQ   | Limit | Result | Status | Analyte                                     | LOD    | LOQ   | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---------------------------------------------|--------|-------|-------|--------|--------|
|                       | µg/g  | µg/g  | µg/g  | µg/g   |        |                                             | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Abamectin             | 0.043 | 0.097 | 0.1   | ND     | Pass   | Imazalil                                    | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Acephate              | 0.019 | 0.097 | 0.1   | ND     | Pass   | Imidacloprid                                | 0.021  | 0.097 | 5     | ND     | Pass   |
| Acequinocyl           | 0.031 | 0.097 | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.045  | 0.097 | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.023 | 0.097 | 0.1   | ND     | Pass   | Malathion                                   | 0.027  | 0.097 | 0.5   | ND     | Pass   |
| Aldicarb              | 0.029 | 0.097 | 0.029 | ND     | Pass   | Metalaxyl                                   | 0.029  | 0.097 | 2     | ND     | Pass   |
| Azoxystrobin          | 0.025 | 0.097 | 0.1   | ND     | Pass   | Methiocarb                                  | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Bifenazate            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Methomyl                                    | 0.029  | 0.097 | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.097 | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1   | 0.033 | ND     | Pass   |
| Boscalid              | 0.021 | 0.097 | 0.1   | ND     | Pass   | Myclobutanil                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Carbaryl              | 0.025 | 0.097 | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.097 | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.097 | 0.033 | ND     | Pass   | Oxamyl                                      | 0.021  | 0.097 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.025 | 0.097 | 10    | ND     | Pass   | Paclobutrazol                               | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Chlorpyrifos          | 0.019 | 0.097 | 0.019 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1   | 0.5   | ND     | Pass   |
| Clofentezine          | 0.035 | 0.097 | 0.1   | ND     | Pass   | Phosmet                                     | 0.051  | 0.097 | 0.1   | ND     | Pass   |
| Coumaphos             | 0.039 | 0.097 | 0.039 | ND     | Pass   | Piperonyl Butoxide                          | 0.037  | 0.097 | 3     | ND     | Pass   |
| Daminozide            | 0.019 | 0.097 | 0.019 | ND     | Pass   | Prallethrin                                 | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Diazinon              | 0.031 | 0.097 | 0.1   | ND     | Pass   | Propiconazole                               | 0.023  | 0.097 | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.06  | 0.097 | 0.06  | ND     | Pass   | Propoxur                                    | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Dimethoate            | 0.027 | 0.097 | 0.027 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1   | 2     | ND     | Pass   | Pyridaben                                   | 0.021  | 0.097 | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.023 | 0.097 | 0.023 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etofenprox            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etoxazole             | 0.027 | 0.097 | 0.1   | ND     | Pass   | Spiromesifen                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Spirotetramat                               | 0.019  | 0.097 | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spiroxamine                                 | 0.025  | 0.097 | 0.025 | ND     | Pass   |
| Fenpyroximate         | 0.023 | 0.097 | 0.1   | ND     | Pass   | Tebuconazole                                | 0.027  | 0.097 | 0.1   | ND     | Pass   |
| Fipronil              | 0.037 | 0.097 | 0.037 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.097 | 0.033 | ND     | Pass   |
| Flonicamid            | 0.039 | 0.097 | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.027  | 0.097 | 5     | ND     | Pass   |
| Fludioxonil           | 0.029 | 0.097 | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.037  | 0.097 | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.043 | 0.097 | 0.1   | ND     | Pass   |                                             |        |       |       |        |        |

LCMS Date Tested:

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081

ISO/IEC 17025:2017

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

*Scott A. Robertson*

Scott Robertson  
Lab Director  
09/05/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
<http://excelbislabs.com>  
Lic#

QA Testing

4 of 4

## Sour Haze

Sample ID: 2509EXL4665.19448

Strain: Sour Haze

Matrix: Concentrates & Extracts

Type: Sauce

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/05/2025

Batch#: 22992

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

## Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND    | Pass   |

EXCELBIS  
LABS

Date Tested:

Residual Solvents: HS-GC-MS RS Method SOP-009



*Scott A. Robertson*

Scott Robertson  
Lab Director  
09/05/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.